

Safety data sheet

Page: 1/12

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 2018.05.1 Version: 2.3

Product: Ingersoll Rand® Ultra EL™ Synthetic Rotary Coolant

(ID no. 30561549/SDS_GEN_EU/EN)

Date of print 2018.05.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ingersoll Rand® Ultra EL™ Synthetic Rotary Coolant

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical

1.3. Details of the supplier of the safety data sheet

Company:
Distributed by
Ingersoll Rand
800D Beaty St.
Davidson, NC 28036, USA

Telephone: +01 704-655-4000

1.4. Emergency telephone number

U.S. 24-hour Emergency #: 800-424-9300 Outside the U.S. Emergency #: +01 703-527-3887

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

No need for classification according to GHS criteria for this product.

According to Directive 67/548/EEC or 1999/45/EC

Page: 2/12

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 2018.05.1 Version: 2.3

Product: Ingersoll Rand® Ultra EL™ Synthetic Rotary Coolant

(ID no. 30561549/SDS_GEN_EU/EN)

Date of print 2018.05.1

Possible Hazards:

No specific dangers known, if the regulations/notes for storage and handling are considered.

2.2. Label elements

Globally Harmonized System, EU (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

According to Directive 67/548/EEC or 1999/45/EC

Directive 1999/45/EC ('Preparation Directive')

The product does not require a hazard warning label in accordance with EC Directives.

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

lubricant oil additives, polyetherpolyol

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene

Content (W/W): >= 1 % - < 3 %

Aquatic Chronic 3

CAS Number: 68411-46-1

H412

EC-Number: 270-128-1

REACH registration number: 01-

2119491299-23

Hazardous ingredients

Page: 3/12

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 2018.05.1 Version: 2.3

Product: Ingersoll Rand® Ultra EL™ Synthetic Rotary Coolant

(ID no. 30561549/SDS_GEN_EU/EN)

Date of print 2018.05.1

according to Directive 1999/45/EC

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene

Content (W/W): >= 1 % - < 3 % CAS Number: 68411-46-1 EC-Number: 270-128-1

REACH registration number: 01-2119491299-23

R-phrase(s): 52/53

For the classifications not written out in full in this section, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Further important symptoms and effects are so far not known.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons: water jet

Page: 4/12

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 2018.05.1 Version: 2.3

Product: Ingersoll Rand® Ultra EL™ Synthetic Rotary Coolant

(ID no. 30561549/SDS_GEN_EU/EN)

Date of print 2018.05.1

5.2. Special hazards arising from the substance or mixture

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Breathing protection required.

6.2. Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:

Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Protect from temperatures below: -10 °C Protect from temperatures above: 40 °C

7.3. Specific end use(s)

Page: 5/12

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 2018.05.1 Version: 2.3

Product: Ingersoll Rand® Ultra EL™ Synthetic Rotary Coolant

(ID no. 30561549/SDS_GEN_EU/EN)

Date of print 2018.05.1

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

No occupational exposure limits known.

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Chemical resistant protective gloves (EN 374)

Suitable materials short-term contact and/or splashes (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN 374)

butyl rubber (butyl) - 0.7 mm coating thickness nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: liquid

Colour: yellow to brownish

Odour: mild

Odour threshold:

No applicable information available.

pH value: 7

(measured with the undiluted

substance)

Page: 6/12

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 2018.05.1 Version: 2.3

Product: Ingersoll Rand® Ultra EL™ Synthetic Rotary Coolant

(ID no. 30561549/SDS_GEN_EU/EN)

Date of print 2018.05.1

Melting point:

not determined

boiling temperature: > 250 °C

(1,013 hPa)

Flash point: 270 °C (ASTM D92)

Evaporation rate:

Value can be approximated from Henry's Law Constant or vapor

pressure.

Flammability: not flammable

Lower explosion limit:

For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15

°C below the flash point.

Upper explosion limit:

For liquids not relevant for classification and labelling.

Ignition temperature:

not determined

Vapour pressure:

No applicable information available.

Density: 0.9828 g/cm3 (ISO 2811-3)

(15 °C)

Solubility in water: sparingly soluble

Solubility (qualitative) solvent(s): organic solvents

soluble

Partitioning coefficient n-octanol/water (log Kow):

Study scientifically not justified.

Self ignition: Temperature: > 300 °C (Method: DIN 51794)

Thermal decomposition: No decomposition if correctly stored and handled. Viscosity, kinematic: 48 mm2/s (ASTM D445)

(40 °C)

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

9.2. Other information

Self heating ability: It is not a substance capable of

spontaneous heating.

Hygroscopic hygroscopic

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Page: 7/12

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 2018.05.1 Version: 2.3

water

Product: Ingersoll Rand® Ultra EL™ Synthetic Rotary Coolant

(ID no. 30561549/SDS_GEN_EU/EN)

Date of print 2018.05.1

Corrosion to metals: No corrosive effect on metal.

Reactions with Reaction with:

water/air:

Flammable gases: no Toxic gases: no Corrosive gases: no Smoke or fog: no Peroxides: no Reaction with: air Flammable gases: no Toxic gases: no Corrosive gases: no Smoke or fog: no Peroxides: no

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Peroxides: 0.000 %

The product does not contain peroxides.

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid electro-static discharge.

10.5. Incompatible materials

Substances to avoid:

strong oxidizing agents, strong bases, strong acids

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Experimental/calculated data: LD50 rat (oral): > 5,000 mg/kg

Irritation

Page: 8/12

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 2018.05.1 Version: 2.3

Product: Ingersoll Rand® Ultra EL™ Synthetic Rotary Coolant

(ID no. 30561549/SDS_GEN_EU/EN)

Date of print 2018.05.1

Assessment of irritating effects: Not irritating to eyes and skin.

Respiratory/Skin sensitization

Assessment of sensitization:

No sensitizing effect.

Germ cell mutagenicity

Assessment of mutagenicity:

Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O): Biodegradable.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Significant accumulation in organisms is not to be expected.

Discharge into the environment must be avoided.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Page: 9/12

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 2018.05.1 Version: 2.3

Product: Ingersoll Rand® Ultra EL™ Synthetic Rotary Coolant

(ID no. 30561549/SDS_GEN_EU/EN)

Date of print 2018.05.1

No data available.

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

12.7. Additional information

Add. remarks environm. fate & pathway:

At the present state of knowledge, no negative ecological effects are expected.

Other ecotoxicological advice:

The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

SECTION 14: Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Page: 10/12

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 2018.05.1 Version: 2.3

Product: Ingersoll Rand® Ultra EL™ Synthetic Rotary Coolant

(ID no. 30561549/SDS_GEN_EU/EN)

Date of print 2018.05.1

RID

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Transport in inland Not evaluated

waterway vessel:

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Not applicable
Not applicable
Not applicable

Page: 11/12

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 2018.05.1 Version: 2.3

Product: Ingersoll Rand® Ultra EL™ Synthetic Rotary Coolant

(ID no. 30561549/SDS_GEN_EU/EN)

Date of print 2018.05.1

Special precautions for

None known

user

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Regulation: Not evaluated Shipment approved: Not evaluated Pollution name: Not evaluated Pollution category: Not evaluated Ship Type: Not evaluated

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Chemical Safety Assessment not yet performed due to registration timelines

SECTION 16: Other Information

Page: 12/12

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 2018.05.1 Version: 2.3

Product: Ingersoll Rand® Ultra EL™ Synthetic Rotary Coolant

(ID no. 30561549/SDS_GEN_EU/EN)

Date of print 2018.05.1

Assessment of the hazard classes according to UN GHS criteria (most recent version):

Full text of the classifications, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, if mentioned in section 2 or 3:

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

Aquatic Chronic Hazardous to the aquatic environment - chronic Harmful to aquatic life with long lasting effects.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.