COMPRESSOR DATA SHEET							
In Accordance with Federal Uniform Test Method for Certain Lubricated Air Compressors							
Rotary Compressor: Fixed Speed							
	MODEL DATA - FOR COMPRESSED AIR						
	1	1 Manufacturer: Ingersoll Rand					
		Model Number: RS132i-W110			Date:	3/20/2020	
	2	Air-cooled X Water-cooled			Type:	Screw	
					# of Stages:	1	
-	3*	Rated Capacity at Full Load Operating Pressure <sup>a, e</sup> 931 acfm				acfm <sup>a, e</sup>	
	4*	Full I	Load Operating P	ressure <sup>b</sup>	100	psig <sup>b</sup>	
	5	Maxi	mum Full Flow (	Operating Pressure <sup>c</sup>	110	psig <sup>c</sup>	
	6	Drive	e Motor Nominal	Rating	175	hp	
	7	Drive	e Motor Nominal	Efficiency	96.0%	percent	
	8	Fan M	Motor Nominal R	ating (if applicable)	1.0	hp	
	9	Fan M	Motor Nominal E	fficiency	82.5%	percent	
	10*	Total	Package Input P	ower at Zero Flow <sup>e</sup>	37.8	kW <sup>e</sup>	
-	11	Total		ower at Rated Capacity and Full	149.8	$kW^d$	
	12*	Package Specific Power at Rated Capacity and Full Load Operating Pressure <sup>e</sup>			16.1	kW/100 cfm <sup>e</sup>	
	13	Isenti	ropic Efficiency		82.7	Percent	
*	* For models that are tested in the CAGI Performance Verification Program, these are the items verified by the third party program administrator						
Consult CAGI website for a list of participants in the third party verification program:   www.cagi.org     NOTES:   a. Measured at the discharge terminal point of the compressor package in accordance with ISO 1217, Annex C; ACFM is actual cubic feet per minute at inlet conditions.     b. The operating pressure at which the Capacity (item 3) and Electrical Consumption (item 11) were measured for this data sheet.     c. Maximum pressure attainable at full flow, usually the unload pressure setting for load/no load control or the maximum pressure attainable before capacity control begins. May require additional power.     d. Total package input power at other than reported operating points will vary with control strategy.							
e. Tolerance is specified in ISO 1217, Annex C, as shown in table below.							
Compressed Air & G	ias Institute	N	NOTE: The terms "power" and "energy" are synonymous for purposes of this document.				1
	-			Volume Flow Rate at specified conditions	Volume Flow Rate	Specific Energy Consumption	No Load / Zero Flow Power
Men	nber		<u>m<sup>3</sup>/min</u>	$\frac{ft^3 / min}{ft^3 / min}$	%	%	%
		Γ	Below 0.5	Below 17.6	+/- 7	+/- 8	
		1	0.5 to 1.5	17.6 to 53	+/- 6	+/- 7	+/- 10%

12/19 Rev 3 This form was developed by the Compressed Air and Gas Institute for the use of its members participating in the PVP. CAGI has not independently verified the reported data. 47659948001

+/- 5

+/- 4

Rev B

53 to 529.7

Above 529.7

ROT 030.1

1.5 to 15

Above 15

ECO 1341195

+/- 6

+/- 5