<b>R)</b> Inge	ersoll Rand	(  (	COMPRESSOR DAT	'A SHEET		
	Federa	l Uniform Test	Method for Certain A	-	ot Applicable	
г			otary Compressor: F	-		1
		MODE	L DATA - FOR CON	<b>IPRESSED AIR</b>		
	1 Ma	inufacturer:	Ingersoll Rand			
	Mo	odel Number	HH350A - 150 psig	Date:	3/5/2020	
	2 <b>X</b>	Air-cooled	Water-cooled	Туре:	Screw	
		Oil Injected	X Oil-Free	# of Stages:	2	
ſ		Capacity at Full Loa	d Operating Pressure			
F	3* <sup>a, e</sup>			1400.0	acfm <sup>a, e</sup>	
Ļ	4 Full Load Operating Pressure <sup>b</sup>			150	psig <sup>b</sup>	
ļ	5 Maxim	um Full Flow Operation	ating Pressure <sup>c</sup>	153	psig <sup>c</sup>	
	6 Drive I	Motor Nominal Rati	ng	350	hp	
ļ	7 Drive I	Motor Nominal Effi	ciency	96.2	percent	
ļ	8 Fan M	otor Nominal Rating	g (if applicable)	20.0	hp	
ļ	9 Fan M	otor Nominal Efficie	ency	93	percent	
	10* Total F	Total Package Input Power at Zero Flow <sup>e</sup>		80.1	kW <sup>e</sup>	
	11	Package Input Power oad Operating Press	r at Rated Capacity and ure <sup>d</sup>	317.4	$kW^d$	
	12*	c Package Input Po ll Load Operating P	wer at Rated Capacity ressure <sup>e</sup>	22.67	kW/100 cfm <sup>e</sup>	
			erformance Verification Progra pants in the third party verification		d by the third party administra www.cagi.org	ltor.
	1	ISO 1217, Annex C; A b. The operating pressure for this data sheet. c. Maximum pressure att maximum pressure att	arge terminal point of the compro- CFM is actual cubic feet per miner at which the Capacity (Item 3) ainable at full flow, usually the ainable before capacity control b	nute at inlet conditions. and Electrical Consumption unload pressure setting for lo begins. May require addition	(Item 11) were measured bad/no load control or the bal power.	
CAGI		e. Tolerance is specified	ower at other than reported opera in ISO 1217, Annex C, as shown wer" and "energy" are synonymo	n in table below:		1
Compressed Air & Gas Institute			me Flow Rate ified conditions	Volume Flow Rate	Specific Energy Consumption	No Load / Zero Flow
		$\underline{m^3 / \min}$	<u>ft<sup>3</sup> / min</u>	%	%	%

Member

ROT

T 030.2	1.5 to 15	53 to 529.7	+/- 5
	Above 15	Above 529.7	+/- 4
1 050.2	1000015		17

Below 0.5

0.5 to 1.5

12/19 Rev 3 This form was developed by the Compressed Air and Gas Institute for the use of its members participating in the PVP. CAGI has not independently verified the reported data.

+/- 7

+/- 6

+/- 8

+/- 7

+/- 6

+/- 5

+/- 10%

Below 17.6

17.6 to 53