

## Sierra 无油回转式螺杆空压机 190-300 kW

Sierra 无油回转式螺杆压缩机经过 ISO 8573-1:2010 等级 0 认证, 对大多数关键应用实现 100% 无油。这些压缩机采用高效而坚固的设计, 是确保您的业务生产率的可靠重负荷机器。

### 特征

- 无油压缩空气: 符合 ISO 8573-1:2001 等级 0, 该标准规定了食品和饮料、制药、纺织和电子行业
- 可靠性更强: 不锈钢组件、双排放密封以及带 UltraCoat 保护的精准加工的转子确保顺畅运转
- 智能控制减少能源成本: 便于检修的 Xe-145 微处理器控制器提供持续的监控和板载诊断, 使耗电量降到最低点
- 减少润滑剂更换: 行业领先的 Ultra Coolant 提供高达 8,000 小时的润滑剂使用时间, 是常规润滑剂使用寿命的 8 倍
- 高温工作环境: 长寿命部件专为承受 46°C 的最高环境温度而设计



## 模型规格

模型	频率 (Hz)	额定功率 kW(hp)	容量 m <sup>3</sup> /min (cfm)	额定压力 bar g (psig)	长 x 宽 x 高cm(in) 风冷/水冷	重量kg(lb) 风冷/(水冷)
SL200	50	200 (300)	35.0 / 1236	7.0 (100)	305 (120) x 193 (76) x 244/203 (96/80)	4853 (10699) / 5200 (11464)
SL250	50	250 (350)	45.2 / 1597	7.0 (100)	305 (120) x 193 (76) x 244/203 (96/80)	4853 (10699) / 5200 (11464)
SM200	50	200 (300)	32.6 / 1151	8.5 (125)	305 (120) x 193 (76) x 244/203 (96/80)	4853 (10699) / 5200 (11464)
SM250	50	250 (350)	41.5 / 1466	8.5 (125)	305 (120) x 193 (76) x 244/203 (96/80)	4853 (10699) / 5200 (11464)
SH200	50	200 (300)	28.5 / 1006	10.0 (150)	305 (120) x 193 (76) x 244/203 (96/80)	4853 (10699) / 5200 (11464)
SH250	50	250 (350)	36.0 / 1271	10.0 (150)	305 (120) x 193 (76) x 244/203 (96/80)	4853 (10699) / 5200 (11464)
SH300	50	300 (400)	43.3 / 1530	10.0 (150)	305 (120) x 193 (76) x 244/203 (96/80)	5126 (11301) / 5400 (11905)
L250	60	185 (250)	34.0/1200	7.0 (100)	305 (120) x 193 (76) x 244/203 (96/80)	4354 (9599) / 5020 (11067)
L300	60	200 (300)	39.6 / 1398	7.0 (100)	305 (120) x 193 (76) x 244/203 (96/80)	4354 (9599) / 5020 (11067)
L350	60	250 (350)	45.3 / 1600	7.0 (100)	305 (120) x 193 (76) x 244/203 (96/80)	4536 (10000) / 5020 (11067)
H250	60	185 (250)	30.6/1080	8.5 (125)	305 (120) x 193 (76) x 244/203 (96/80)	4354 (9599) / 5020 (11067)
H300	60	200 (300)	35.8 / 1264	8.5 (125)	305 (120) x 193 (76) x 244/203 (96/80)	4354 (9599) / 5020 (11067)
H350	60	250 (350)	42.5 / 1501	8.5 (125)	305 (120) x 193 (76) x 244/203 (96/80)	4536 (10000) / 5020 (11067)
HH250	60	185 (250)	26.5 / 935	10.0 (150)	305 (120) x 193 (76) x 244/203 (96/80)	4354 (9599) / 5020 (11067)
HH300	60	200 (300)	33.3 / 1175	10.0 (150)	305 (120) x 193 (76) x 244/203 (96/80)	4354 (9599) / 5020 (11067)
HH350	60	250 (350)	39.7 / 1400	10.0 (150)	305 (120) x 193 (76) x 244/203 (96/80)	4536 (10000) / 5020 (11067)
HH400	60	300 (400)	43.8 / 1545	10.0 (150)	305 (120) x 193 (76) x 244/203 (96/80)	5216 (11499) / 5400 (11905)

## 零配件



SimplAir 压缩空气管道



空压机储气罐



About Ingersoll Rand Inc. Ingersoll Rand Inc. (NYSE:IR), driven by an entrepreneurial spirit and ownership mindset, is dedicated to helping make life better for our employees, customers and communities. Customers lean on us for our technology-driven excellence in mission-critical flow creation and industrial solutions across 40+ respected brands where our products and services excel in the most complex and harsh conditions. Our employees develop customers for life through their daily commitment to expertise, productivity and efficiency. For more information, visit [www.IRCO.com](http://www.IRCO.com).